

- This is a closed-book examination. No books, notes, calculators, cell phones, communication devices of any sort, or other aids are permitted.
- Numerical answers such as  $\sin\left(\frac{\pi}{6}\right)$ ,  $4^{\frac{3}{2}}$ ,  $e^{\ln 4}$ ,  $\ln(e^7)$ ,  $e^{-\ln 5}$ ,  $e^{3\ln 3}$ ,  $\arctan(\sqrt{3})$ , or  $\cosh(\ln 3)$  should be simplified.
- Please *show* all of your work and *justify* all of your answers. (You may use the backs of pages for additional work space.)

**1.** [18 Points] Evaluate each of the following **limits**. Please justify your answer. Be clear if the limit equals a value,  $+\infty$  or  $-\infty$ , or Does Not Exist. Simplify.

- (a)  $\lim_{x \rightarrow 0} \frac{xe^x - \arctan x}{\ln(1+5x) - 5x}$       (b) Compute  $\lim_{x \rightarrow 0} \frac{xe^x - \arctan x}{\ln(1+5x) - 5x}$  **again** using series.
- (c)  $\lim_{x \rightarrow \infty} \left(\frac{x+1}{x}\right)^x$

**2.** [22 Points] Evaluate each of the following **integrals**.

- (a)  $\int \frac{\cos x}{(4 + \sin^2 x)^{\frac{5}{2}}} dx$       (b)  $\int \frac{x^2}{\sqrt{4-x^2}} dx$       (c)  $\int_1^{\sqrt{3}} \frac{1}{\sqrt{4-x^2}} dx$

**3.** [40 Points] For each of the following **improper integrals**, determine whether it converges or diverges. If it converges, find its value. Simplify.

- (a)  $\int_6^7 \frac{8}{x^2 - 4x - 12} dx$       (b)  $\int_7^{\infty} \frac{8}{x^2 - 4x - 12} dx$  Tip: Reuse your algebra work from part (a)
- (c)  $\int_0^{e^3} \frac{1}{x[3 + (\ln x)^2]} dx$       (d)  $\int_0^1 \sqrt{x} \ln x dx$

**4.** [18 Points] Find the **sum** of each of the following series (which do converge). Simplify.

- (a)  $\sum_{n=1}^{\infty} \frac{(-1)^n 5^{2n+1}}{2^{5n-1}}$       (b)  $\sum_{n=0}^{\infty} \frac{(-1)^{n+1} (\ln 9)^n}{2^{n+1} \cdot n!}$       (c)  $\sum_{n=0}^{\infty} \frac{(-1)^n \pi^{2n+1}}{9^n (2n)!}$
- (d)  $-\frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \frac{1}{9} - \dots$       (e)  $-\frac{\pi^3}{3!} + \frac{\pi^5}{5!} - \frac{\pi^7}{7!} + \frac{\pi^9}{9!} - \dots$       (f)  $-1 + \frac{1}{2} - \frac{1}{3} + \frac{1}{4} - \frac{1}{5} + \dots$

**5.** [26 Points] In each case determine whether the given series is **absolutely convergent**, **conditionally convergent**, or **divergent**. Justify your answers.

- (a)  $\sum_{n=1}^{\infty} (-1)^n \frac{\arctan(7n)}{n^7 + 7}$       (b)  $\sum_{n=1}^{\infty} \arctan\left(\frac{n^7 + 1}{n^7 + 7}\right)$       (c)  $\sum_{n=1}^{\infty} (-1)^n \left(\frac{n+1}{n^2}\right)$
- (d)  $\sum_{n=1}^{\infty} \frac{(-1)^n (3n)! \ln n}{(n!)^2 e^{4n} n^n}$       (e)  $\sum_{n=1}^{\infty} (-1)^n \frac{n^2 + 5}{n^5 + 2}$

**6.** [18 Points] Find the **Interval** and **Radius** of Convergence for each of the following power series. Analyze carefully and with full justification.

$$(a) \sum_{n=1}^{\infty} \frac{(-1)^n (3x-4)^n}{n^2 \cdot 5^n} \qquad (b) \sum_{n=0}^{\infty} \frac{(-1)^n x^{2n}}{(2n)!} \qquad (c) \sum_{n=1}^{\infty} n! (x-6)^n$$

**7.** [10 Points] Please analyze with detail and justify carefully. Simplify.

(a) Use MacLaurin series to **Estimate**  $\int_0^1 x \sin(x^2) dx$  with error less than  $\frac{1}{1000}$ .

(b) Use MacLaurin Series to **Estimate**  $\frac{1}{\sqrt{e}}$  with error less than  $\frac{1}{100}$ .

**8.** [10 Points] Consider the region bounded by  $y = \arctan x$ ,  $y = 0$ ,  $x = 0$  and  $x = 1$ . Rotate the region about the vertical line  $x = -1$ . **COMPUTE** the volume of the resulting solid using the Cylindrical Shells Method. Sketch the solid, along with one of the approximating shells.

**9.** [18 Points]

(a) Consider the Parametric Curve represented by  $x = \ln t + \ln(1-t^2)$  and  $y = \sqrt{8} \arcsin t$ .

**COMPUTE** the **arclength** of this parametric curve for  $\frac{1}{4} \leq t \leq \frac{1}{2}$ . **Show** that the answer

simplifies to  $\ln\left(\frac{5}{2}\right)$

(b) Consider a different Parametric Curve represented by  $x = t - e^{2t}$  and  $y = 1 - \sqrt{8}e^t$ .

**COMPUTE** the **surface area** obtained by rotating this curve about the  $y$ -axis for  $0 \leq t \leq 1$ .

Simplify. **Show** that the answer simplifies to  $2\pi\left(2 - \frac{e^4}{2}\right)$

**10.** [20 Points] For each of the following problems, do the following **two** things:

1. Sketch the Polar curves and shade the described bounded region.

2. Set-Up but **DO NOT EVALUATE** the Integral representing the area of the described bounded region.

(a) The **area** bounded outside the polar curve  $r = 1 + \sin \theta$  and inside the polar curve  $r = 3 \sin \theta$ .

(b) The **area** bounded outside the polar curve  $r = 2$  and inside the polar curve  $r = 4 \sin \theta$ .

(c) The **area** that lies inside both of the curves  $r = 1 + \cos \theta$  and  $r = 1 - \cos \theta$ .

(d) The **area** bounded inside the polar curve  $r = 2 + 2 \cos \theta$ .